2.5in USB FireWire SATA External Hard Drive Enclosure

StarTech ID: SAT2510U2F

The SAT2510U2F External Hard Drive Enclosure supports both USB 2.0 and FireWire 400 (IEEE1394a) host connections, providing the compatibility needed to create a convenient and versatile external SATA storage solution for desktop computers as well as MacBooks® and Windows® based laptops.

The USB/FireWire enclosure features a slim, lightweight aluminum design and includes a 6-pin FireWire cable simplifying the option to connect through IEEE 1394a, as well as a USB to Power adapter and USB 2.0 Y-cable which can be used to ensure sufficient power delivery for higher capacity/higher power consumption drives.

Applications and Solutions

- Archiving valuable data from a Notebook, Netbook, or Desktop
- Backup large media files for transporting for work to home
- Perfect solution for transporting files from a Mac with FireWire to a PC with USB

Features

- Supports both USB 2.0 and IEEE 1394a FireWire 400
- Data transfer rates up to 480Mbps using USB 2.0, and 400Mbps with 1394a Firewire 400
- Self powered with USB, includes a USB to power for portable fireWire support
- Light weight aluminum casing maximizes heat dissipation while making this enclosure easy to carry or transport as an external storage solution
- OS independent; No software or drivers required

Technical Specifications

- Warranty: 1 Year warranty
- Color: Silver
- Carton Quantity: 40
- Shipping (Package) Weight: 13.59 oz [385 g]
- Enclosure Type: Aluminum
- LED Indicators: 1 - Green - Solid: Power, Blinking: Activity
- Number of Drives: 1
- Compatible Drives : 2.5" SATA
- Chipset ID: PLX/Oxford - OXUF934SSA
- MAX Drive Capacity: 500 Gb
- Host Connectors: 1 - 6 pin FireWire Female
- Host Connectors: 1 - 5 pin mini-USB B Female
- Drive Connectors: 1 - 22 pin SATA DATA and Power Combo Female
- Type and Rate: FireWire 400 IEEE-1394a - 400 Mbit/s
- Type and Rate: USB 2.0 - 480 Mbit/s
- Power Adapter Included: No
- Input Voltage: 110 ~ 240 AC
- Output Voltage: 5 DC
- Output Current: 500mA
- Center Tip Polarity: Positive
- Plug Type: H
- Product Weight: 4.06 oz [115 g]
- Product Height: 0.67 in [17 mm]
- Product Width: 3.15 in [80 mm]

- Product Length: 5.39 in [137 mm]
- Humidity: 0~90% RH
- Operating Temperature: 0°C to 40°C (32°F to 104°F)
- Storage Temperature: -20°C to 60°C (4°F to 140°F)
- OS Compatibility: Windows XP(32/64bit)/ Vista(32/64bit)/ 7(32/64bit), Mac OS X, and Linux